

Best Air Mover in the Industry ★★★★★

High-velocity, optimally directed airflow specifically designed to dry large areas of wet surfaces. Can be easily mounted to existing fan stands to provide downward airflow for center-of-the-room drying or angles flow for walls and ceilings. The Protege AXL-3000 offers class-leading drying performance, quieter operation and all the features professional restorers want.



Specifications

Drive Motor	1/3 Horse Power
Volts / Cycle	115V / 60 HZ
Power	2.5 Amps
Rated Air Flow	3,600 CFM
Speeds	Variable Speed Control
RPM	400-1,600
Cord Length	20 feet
Housing	Injection Molded ABS
Stackable	Yes
Dual Thermal Protection	Yes
Inlet & Exhaust Grills	Stainless Steel
Cord Retainer	Cord Snap Fastner & Strap
Color	Red
Stand Options	Integrates with Gale Force, Force 9 and Phoenix Focus Stands

FACT
Ultimate Portability:
Lightest high performance
air mover in the industry at
only 20.9 pounds.



Dual auxiliary power outlets with onboard 12 amp circuit breakers

Dimensions

Unit Weight	20.9 pounds
Unit Dimensions	21.9" x 9.8" x 22.5"
Box Weight	28.2 pounds
Box Dimensions	22.6" x 23.2" x 11.4"



Hands Down the Best Warranty in the Industry




Protege-branded products purchased in the U.S. from authorized distributors include a 3-year limited warranty. Contact Protege to confirm warranty information about your product(s).

This limited warranty covers defects in materials and workmanship in your Protege branded products, purchased in the U.S. ONLY. Local warranty policy (if any) in your country will cover products purchased outside the U.S.


Air Mover Testing Data & Results

Total Average of Feet/Minute + CFM (128 Sq. Ft. Area)

This combination correlates to the drying performance of an air mover


Protege AXL-3000	Leading Low Profile AM	Leading CAM AM	Leading Small Axial AM	Leading Axial AM
2471 CFM	750 CFM	929 CFM	761 CFM	2220 CFM
 <p>How the Protege AXL-3000 compares to each air mover</p>	230% better	170% better	220% better	11% better

In our tests, the AXL-3000 surpassed the leading low-profile air mover in velocity & CFM performance.



How many AXL-3000 air movers fit on a ...

Box Truck



The “other guys” ...

360 Low Profile / Radial Air Mover's Per Box Truck
5 (W) x 8 (L) x 9 (H) & 333,000 CFM of Air

160 Focus Axial Air Mover's Per Box Truck
4 (W) x 8 (L) x 5 (H) & 496,000 CFM of Air

How many AXL-3000 air movers fit on a ...

Cargo Van



The “other guys” ...

168 Low Profile / Radial Air Mover's Per Cargo Van
3 (W) x 7 (L) x 8 (H) & 155,400 CFM

105 Focus Axial Air Mover's Per Cargo Van
3 (W) x 7 (L) x 5 (H) & 691,200 CFM of Air

How many AXL-3000 air movers fit on a ...

Semi-Trailer



The “other guys” ...

1,860 Low Profile / Radial Air Mover's Per Semi-Trailer
5 (W) x 31 (L) x 12 (H) & 1,720,500 CFM of Air

1,050 Focus Axial Air Mover's Per Semi-Trailer
5 (W) x 30 (L) x 7 (H) & 3,255,000 CFM of Air



AXL-3000 Air Mover

Pricing

\$379.00 per unit

State Sales Tax (if applicable) & Shipping Not Included.



Bulk Pricing & Custom Colors Available

Call our sales team for bulk pricing.

Sales Team: (317) 723-3016

ORDER ONLINE



Protege Solutions LLC

5858 Thunderbird Road

Indianapolis, Indiana 46236

sales@protegedirect.com